



DOC Series Traps


History & Development



Fenn traps. 1970's – 2000's.



Te Urewera mainland island. Double Mk6 Fenns.



Advent of current best practice – Kiwi Zones.



TrapModel	Species	of the animal	Sex	Time to loss of consciousness	Time to loss of heart beat	First strike location	Second strike location
Fenn Mk4, New	Stoat	0.257	Male	>6:00		Chest, behind shoulders	
Fenn Mk4, New	Stoat	0.332	Male	>6:00		Chest, behind shoulders	
Fenn Mk4, New	Stoat	0.265	Male	>6:00		Chest, behind one shoulder in front of other	
Fenn Mk6, DOC modified	Stoat	0.324	Male	>5:00		Immediately behind forelimbs	
Fenn Mk6, new	Stoat	0.251	Male	>6:00		Chest, behind shoulders	Forward of hind-quarters
Fenn Mk6, new	Stoat	0.245	Male	0:52	1:38	Head, dorso-ventrally behind eyes	Rear of chest
Fenn Mk6, new	Stoat	0.297	Male	>6:00		Chest, behind one shoulder, across other	
Fenn Mk6, used	Stoat	0.25	Male	>6:00		Neck	Abdomen
Fenn Mk6, used	Stoat	0.348	Male	>7:00		Head, top and bottom	Mid-chest
Fenn Mk6, used	Stoat	0.312	Male	>7:00		Front of one shoulder to rear of other	

Fenn traps fail NAWAC Humane Kill Trap Standard. Pre 2003.



Trapper 90 – Sweden. 2003.



Swedish Potato Masher – DOC 180. (DOC 200 passes NAWAC)



DOC series traps complete. DOC 250, DOC 200, DOC 150. Complete 2004.



Landsborough Valley. Double stoat.



Thompson Fiord.